

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.		FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/812,090	•	03/30/2004	Toshikazu Hattori	2004-0457A	3100
513	7590 03/09/2006			EXAMINER	
WENDEROTH, LIND & PONACK, L.L.P.				DOWLING, WILLIAM C	
2033 K STREET N. W. SUITE 800				ART UNIT	PAPER NUMBER
WASHINGTON, DC 20006-1021				2851	
				DATE MAILED: 03/09/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

Inventorship

1. In view of the papers filed January 12, 2005, the inventorship in this nonprovisional application has been changed by the deletion of Naoyuki Shimizu.

The application will be forwarded to the Office of Initial Patent Examination (OIPE) for issuance of a corrected filing receipt, and correction of Office records to reflect the inventorship as corrected.

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to William C. Dowling whose telephone number is 571-272-2116. The examiner can normally be reached on MON-THURS.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Judy Nguyen can be reached on 571-272-1750. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

William C. Dowling Primary Examiner

Art Unit 2851